

STATEMENT OF REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Claim 5, which was indicated allowable in the previous office action, is now amended to include the limitations of independent claim 1. None of the prior art of record teaches, discloses or suggests a free-flowing particulate detergent composition or component comprising a perfume granule comprising maltose and polybutyl methylacrylate, wherein the recited amount of particulate magnesium stearate is layered onto the surfaces of the detergent composition or component

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lorna M. Douyon whose telephone number is 571-272-1313.

The examiner can normally be reached on Mondays-Fridays 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1796

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lorna M Douyon/
Primary Examiner, Art Unit 1796